

广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分析检测报告

REPORT FOR ANALYSIS

报告编号

Report №.

2023FM15637R01

样品名称

Name of Sample

DS 除味剂

委托单位

Applicant

上海德旻希环保科技有限公司

检测类型

Test Type

单位地址: 广州市先烈中路 100 号大院 66 号楼

Address: Building 66, No. 100, Xianlie Middle Road, Guangzhoy, China

邮政编码: 510070

Postcode:

电话号码: (020)87137666

Tel:

传真号码: (020)87137668

Fax:

网 址: www.gddcm.com

Website:



广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY 分析检测报告

REPORT FOR ANALYSIS

校验码 (Verification Code): 7VL4BUJ5



Cult Cult Cult Cult	City City City	上海市宝山区宝山工业园区园新路 208号(丰翔开发区二楼) 1瓶 液体 2023-08-20 全黄色葡萄球菌、铜绿假单胞菌 -第五章 微生物检验方法
 2023-08-14 落总数、霉菌和酵母菌总数	Sample Quantity 样品状态和特性 State and Characteristic 检测完成日期 Completion Date	液体 2023-08-20 全黄色葡萄球菌、铜绿假单胞菌
落总数、霉菌和酵母菌总数	State and Characteristic 检测完成日期 Completion Date 、耐热大肠菌群、金	2023-08-20 全黄色葡萄球菌、铜绿假单胞菌
落总数、霉菌和酵母菌总数	Completion Date 、耐热大肠菌群、金	全黄色葡萄球菌、铜绿假单胞菌
Cult Cult Cult Cult	City City City	CHIL CHIL CHIL CHIL CHIL
参照《化妆品安全技术规	见范》(2015 年版)	-第五章 微生物检验方法
Gritto Gritto Gritto	Gnitto Gnitto Gnith	Gritto Gritto Gritto Gritto Gritto
品所检项目的实测数据见本机	俭测报告续页 。	
Gride		定日期: 2022-08-25 e Date (机构盖章 Official Seal)
	Testinos Testinos Estinos Estinos Grito Testinos Grito Testinos Grito Testinos Grito Testinos Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grito Grit	

制表: デルルリ Editor

审核: Werifier

批准: Approver



广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY 分析检测结果

ANALYSIS AND TEST RESULT

报告编号(Report №.): 2023FM15637R01

	0.	5	6 6 6	G.	6	0, 0,	0	5	0	6	0	0
0	序号	Stine 4	检测项目	Sting		检测结果		estino,		单位		
(C)	Clitto	STRICTO	菌落总数	Griffer	Griter	<10	Gride	Gritto	Childre	CFU/g	Gride	Grille
0	2	ding	霉菌和酵母菌总数	ing	dino	<10	sting	Sing	Chite	CFU/g	Sting	Stino
	3	micro	耐热大肠菌群	aniere	Carrier	未检出	CHICLO	Micro	Chicic	/g	e criter	Te micro
30	4	0	金黄色葡萄球菌			未检出	0	. 20	0	/g	0	0
	5 5 5 T	50° X	铜绿假单胞菌	er.	Zegn,	未检出	Zezo. Ko	, to	Cogn.	/g	egn.	Cesti.

(以下空白)

分析為



报告编号 (Report №.): 2023FM15637R01

注意事项

Notice Items

1. 检测报告无本机构检验检测专用章、骑缝章无效。

The test report is invalid without the special stamp of testing and paging seal.

2. 检测报告无制表、审核、批准人签字无效。

The test report is invalid without the signatures of the editor, the verifier and the approver.

3. 检测报告涂改增删无效。

The test report is invalid if being supplemented, deleted or altered.

4. 未经本机构书面同意,不得部分复制(全部复制除外)检测报告。

Without prior written permission, the test report cannot be reproduced, except in full.

5. 除非另有说明, 检测报告仅对来样负责。

Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

- 6. 对检测报告有异议的,应于收到报告之日起十五日内提出,逾期不予受理。
 - Any dispute of the test report must be raised to the testing institution within 15 days after the test report is received, exceeding which the dispute will not be accepted.
- 7. 对送检样品,样品信息由委托方提供,本机构不对其真实性负责。
 - For the sample(s) submitted for testing, the sample information is provided by the applicant, and this testing institution is not responsible for its authenticity.
- 8. 本中心未加盖资质认定标志(CMA)的检测报告,涉及未取得资质认定的项目,仅作为科研、教学或内部质量控制之用。

The test report without the certification mark (CMA), which involves items that have not obtained the certification, is only used for scientific research, teaching or internal quality control.